

FAIRWAYS PUBLIC PARTICIPATION PROCESS

COMMENTS RECEIVED

First Name	Last Name	Organisation	Address 1	Address 2	Code	e-mail address	phone	fax	cell
Allan	Childs	EnviroWest				atcon@3i.co.za	031 7652675		
would like copy of minutes of meeting									
Lynne	Milne	Sunbury Kennels D819				sunbury@absamail.co.za	031 766 0037		
would like to have another meeting, cannot attend meeting on 24th January									
Sibongile	Zimu	Ezemvelo KZN Wildlife (EKZNW)				zimus@ukznwildlife.com	033 845 1346 (tel)		
cannot comment until early 2008 Please direct any queries in this regard to the Coordinator IEM (contact telephone number 033845 1346).									
Lilian Develing	Chairman of Conomirra and Hillcrest RPA	CONOMIRRA				liliand@africamail.co.za	T/F 031 7651134		721463842
Pleaser register connomira as I&AP. Cannot attend meeting too late in year.									
Mohamed	Bassa	Telkom				mahomedbassa@telkomsa.net			
I would be obliged if you will forward me details of the project & especially a locality plan									
Patrick Kubheka		IEM Development Planner (Contract) Ezemvelo KZN Wildlife				kubhekas@kznwildlife.com	Tel: 033 8451355		Cell: 076 0139391
Please would you forward us the co-ordinates for the site so that we can query our database and give our comments on this application									
Vic Bonsor		Estate Manager Cotswold downs				vic.ma@cotswolddowns.co.za < vic.ma@cotswolddowns.co.za >	031-716 8188		079 490 5491
Please register me a an Interested party in this matter. I confirm I will attend the meeting on the 20 th December at the Hillcrest Library									
Sarah Allan		Dept of Enviro Affairs				allans@quarry.kzntl.gov.za			
I would urge that the documentation be re-circulated after 10 January 2008 and that another public meeting be convened thereafter (if this is sufficiently contentious to warrant it) or that an period additional two week comment be allowed									

Councillor Gillian

Noyce

gnoyce@africamail.co.za

I understand there has been a request for a second public meeting where there will be some engineers who can answer questions relating to sewerage and storm water retention and this has been refused despite Sarah Allan recommending it take place. I am a Municipal Councillor and call a proper. almost a professional attendee of EIA meetings. My sincere advice to you is to meeting and answer the relevant questions because if the community feel badly dealt with they will act accordingly. This is not a straight forward development. The whole industrial area came into being under dubious circumstances and there have been a lot of problems with sewerage particularly along D819. Due to the poor attendance this meeting did not reflect views which should be heard like the honey sucker business next door who takes a lot of the local sewerage of site for disposal. This site is on quite a slope and the amount of hardened surface area would lead anyone to be concerned about retention of stormwater. Johan was simply unable to answer. As a councillor in the area I have been called in on more than one occasion to witness the problems with the road, the drainage and the sewerage particularly in wet weather. If you choose not to call a meeting to answer these concerns then I would like more information regarding the problems of water retention and sewerage disposal. Did Johan pass on the information regarding the costs of sewerage contracts already in place at some of the properties - well in excess of R40 000 a month on a much smaller along D 819 development than the one proposed here.

Sarah Allan

Dept of Enviro
Affairs

allans@quarry.kzntl.gov.za

I am somewhat disturbed by the refusal to hold a second public meeting regarding this application as per your letter to I&APs. I do hope this will not prejudice the process. I would strongly urge that the decision not to hold a second meeting be re-visited based on the feedback you receive, or that you be prepared to meet with I&APs individually and keep record

Desmond Samuel

Water Quality office, Pollution & Enviro
Branch

DesmonSa@dmws.durban.gov.za

A representative from his section will be attending the meeting

Allan Childs

EnviroWest

atcon@3i.co.za

Carolyn Schwegman

WESSA

afromatz@telkomsa.net

Find attached letter

Peter Holton

COASTAL STORMWATER AND CATCHMENT MANAGEMENT DEPARTMENT'S

A professional Civil Engineer will be required to prepare a Stormwater Management plan to demonstrate that the stormwater runoff generated does not exceed the pre-development state of the site concerned

Bongiwe Sambo

IEM Development Planner,
EKZNW

sambob@kznwildlife.com

Allan Childs

EnviroWest

Thanks for the BID for the above development. I offer my apologies for not attending the public meeting but would appreciate receiving a copy of the minutes of the meeting. Our main concerns at present are waste disposal (sewage, industrial and domestic), storm water, parking and access, and the type of industry likely to be accommodated.

DATE

COMMENTOR

ISSUE RAISED EAP RESPONSE